

ALUFAB USA
HURRICANE PROTECTION

&

BUILDING SOLUTIONS

BUILDING PRODUCTS
CATALOG

**6490 Metro Plantation Road
Ft. Myers, FL 331966
Telephone: (239) 226-4872
Facsimile: (239) 278-4872**

**890 West 84th Street
Hialeah, FL 33014
Telephone: (305) 300-4160
Facsimile: (305) 387-3788**

www.alufabusa.com

Winning customers by providing quality products and excellent service is what sets **Alufab USA** apart from the rest. These qualities have helped us establish ourselves as a reputable distributor of a diverse line of building materials for the Florida and Caribbean markets. **Alufab USA** is confident it leads the competition in offering product knowledge and alternatives to meet customers' needs. As part of our commitment to providing the best service available, we at **Alufab USA** are well-versed in the logistics behind exporting products. This requires thorough research and understanding of the export process, including consolidation, loading of containers and flat racks, and processing appropriate paperwork and documentation to assure a successful and more than satisfactory outcome for customers.

Building a business for success requires an ongoing assessment of customers' needs in an ever-changing market. This includes becoming acclimated with new developments and market trends facing the building materials industry. Our convenient locations, strategically situated to bring our services to markets of interest, are an important aspect of maintaining customer support by providing customers with the accessibility they need in reaching their goals for success. **Alufab USA** has three Florida facilities in Ft. Myers, Hialeah, and our 10,000 square feet of warehouse in Medley, specifically chosen to cater to export customers. These facilities deliver several hundred containers each month to shippers and freight forwarders via a fully-equipped fleet of modern trucks and certified truck drivers. Our warehouses are stocked with new and innovative products, including lumber, drywall, acoustical, plaster, metal framing, insulation, bagged goods, roofing, rebar, FRP, access doors, vinyl trims, cement restoration, tools, and equipment products. In addition **Alufab USA** proudly manufactures Aluminum products - Rollup Shutters, Accordion Shutters, Galvanized steel, Aluminum, and Lexan Hurricane Panels, Bahama Shutters, Low Profile/Decorative Bahama Shutters, Colonial Shutters, Hurricane Screening, Ultra Screen-X2 Plus, Aluminum & Vinyl Impact Glass Windows and Doors, Railings – Pot Belly, Standard and Custom, and Screen enclosures – Mansard, Hip or custom.

Providing the best products and services available on the market enables **Alufab USA** to continue to build strong relationships with customers, which are, most importantly, our number one asset. These relationships are **won and built** by providing a foundation of honest communication, timely responses, and friendly interaction. Earning respect and trust from customers comes with a price. Our dedicated sales staff understands the importance of fulfilling customers' needs and is unmistakably the best in the export industry. From the start of the ordering process until the order is delivered, our professional staff ensures and acknowledges customer satisfaction on every transaction.

Table of contents

Page

| | |
|---|----|
| Lumber, Plywood, Decking & Cedar Shingles | 4 |
| Metal Framing & Metal Lath | 13 |
| Rebar, Rebar Accessories, Visqueen & Road Mesh | 17 |
| Drywall, Exterior Sheathing, Joint Compound & Setting Compound | 21 |
| Metal Beads, Vinyl Beads, Trims & Tapes | 25 |
| Cement, Finish Lime, Wall & Ceiling Texture, Stucco, Thoro Products, Bonding Agents & Thinset | 29 |
| Batt Insulation, SAFB, Safing, Thermax, Tuff-R, Foamulars & House Wrap | 32 |
| Fasteners & Caulking | 35 |
| Roofing Products | 41 |
| Hollow Metal Doors & Frames, Windows, Wood Doors & Hardware | 45 |
| Specialty Items | 46 |
| Hurricane Protection Products | 52 |
| Aluminum Products | 53 |
| Export Services | 54 |

**LUMBER
PLYWOOD
DECKING
CEDAR SHINGLES**

Section: BOARDS

Category: 1X Grade #2 and D S3S PT SYP

| Description | Length | UM |
|-------------|--------------|----|
| 1 X 2 | 8' Thru 16' | PC |
| 1 X 3 | 10' Thru 16' | PC |

Category: 1X Grade #2 and #D S4S PT & Brite SYP

| Description | Length | UM |
|-------------|----------------------------|----|
| 1 X 4 | 8' Thru 16' | PC |
| 1 X 6 | 8' Thru 16' | PC |
| 1 X 6 | 8' Thru 16' #105, T&G, BC | PC |
| 1 X 8 | 8' Thru 16' | PC |
| 1 X 8 | 10' Thru 16' #105, T&G, BC | PC |
| 1 X 10 | 8' Thru 16' | PC |
| 1 X 12 | 8' Thru 16' | PC |

Section: DIMENSIONAL LUMBER

Category: 2X, Grade #1 and #2 S4S PT & Brite SYP

| Description | Length | UM |
|-------------|-------------|----|
| 2 X 4 | 8' Thru 20' | PC |
| 2 X 6 | 8' Thru 26' | PC |
| 2 X 8 | 8' Thru 26' | PC |
| 2 X 10 | 8' Thru 26' | PC |
| 2 X 12 | 8' Thru 26' | PC |

Section: DIMENSIONAL LUMBER (Fire Treated)

Category: 2X Grade #2 S4S Fire Treated

| Description | Length | UM |
|-------------|-------------|----|
| 2 X 4 | 8' Thru 10' | PC |
| 2 X 6 | 8' Thru 10' | PC |

| |
|------------------|
| Section: TIMBERS |
|------------------|

Category: 3X #1 S4S PT SYP

| Description | Length | UM |
|--------------------|---------------|-----------|
| 3 X 4 | 8' Thru 26' | PC |
| 3 X 6 | 8' Thru 26' | PC |
| 3 X 8 | 8' Thru 26' | PC |
| 3 X 10 | 8' Thru 26' | PC |
| 3 X 12 | 8' Thru 26' | PC |

Category: 4X #1 S4S PT SYP

| Description | Length | UM |
|--------------------|---------------|-----------|
| 4 X 4 | 8' Thru 20' | PC |
| 4 X 6 | 8' Thru 20' | PC |
| 4 X 8 | 8' Thru 24' | PC |
| 4 X 10 | 8' Thru 24' | PC |
| 4 X 12 | 8' Thru 24' | PC |

Category: 6X & 8X #1 S4S PT SYP

| Description | Length | UM |
|--------------------|---------------|-----------|
| 6 X 6 | 8' Thru 24' | PC |
| 6 X 8 | 8' Thru 20' | PC |
| 6 X 10 | 8' Thru 24' | PC |
| 6 X 12 | 8' Thru 20' | PC |
| 8 X 8 | 8' Thru 20' | PC |

Section: ROUGH SAWN LUMBER

Category: 1X, 2X & 3X #2 PT SYP

| Description | Length | UM |
|--------------------|---------------|-----------|
| 1 X 4 | 12' Thru 16' | PC |
| 1 X 6 | 12' Thru 16' | PC |
| 1 X 8 | 12' Thru 16' | PC |
| 1 X 10 | 16' | PC |
| 1 X 12 | 16' | PC |
| 2 X 4 | 10' Thru 20' | PC |
| 2 X 6 | 10' Thru 20' | PC |
| 2 X 8 | 10' Thru 20' | PC |
| 2 X 10 | 12' Thru 20' | PC |
| 2 X 12 | 12' Thru 20' | PC |
| 3 X 4 | 10' Thru 20' | PC |

Section: PLYWOOD

Category: CDX, BCX & ACX SYP PT & Brite

| Description | Size | UM |
|--------------------|----------------|-----------|
| 4 X 8 | 1/4" Thru 3/4" | PC |

Category: Sturdifloor SYP PT & Brite, T&G

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 3/4" | PC |

Category: Mill Certified Sheathing

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 19/32" | PC |

Section: PLYWOOD (T111)

Category: 4"OC SS Deco PT & Brite

| Description | Size | UM |
|--------------------|----------------|-----------|
| 4 X 8 | 3/8" Thru 3/4" | PC |

Category: 8"OC SS Deco PT & Brite

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 5/8" | PC |

Category: RB+B 12"OC R/5 PT & Brite

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 5/8" | PC |

Section: PLYWOOD (EXTERIOR)

Category: Fir AC Brite

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 3/4" | PC |

Category: Fir AB Brite

| Description | Size | UM |
|--------------------|----------------|-----------|
| 4 X 8 | 1/4" Thru 3/4" | PC |

Category: Fir AB Marine Brite

| Description | Size | UM |
|--------------------|----------------|-----------|
| 4 X 8 | 1/4" Thru 3/4" | PC |

Section: PLYWOOD (FIRE TREATED)

Category: CDX Pyroguard

| Description | Size | UM |
|-------------|----------------|----|
| 4 X 8 | 1/2" Thru 3/4" | PC |

Section: PLYWOOD (FORMING)

Category: BB SYP O+ES

| Description | Size | UM |
|-------------|---------------|----|
| 4 X 8 | 5/8" And 3/4" | PC |

Category: Douglas Fir MDO

| Description | Size | UM |
|-------------|------|----|
| 4 X 8 | 3/4" | PC |

Category: C+C+ OES

| Description | Size | UM |
|-------------|------|----|
| 4 X 8 | 3/4" | PC |

Category: Film Faced

| Description | Size | UM |
|-------------|------|----|
| 4 X 8 | 3/4" | PC |

Category: Sturdifloor O+ES

| Description | Size | UM |
|-------------|---------------|----|
| 4 X 8 | 5/8" And 3/4" | PC |

| |
|----------------------------|
| Section: PLYWOOD (CABINET) |
|----------------------------|

Category: C-2 White Birch

| Description | Size | UM |
|--------------------|----------------|-----------|
| 4 X 8 | 1/4" Thru 3/4" | PC |

Category: D-2 White Birch

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 3/4" | PC |

Category: EE White Birch

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 3/4" | PC |

Category: C+C Elliottis Pine

| Description | Size | UM |
|--------------------|-------------|-----------|
| 4 X 8 | 3/4" | PC |

Category: Okume

| Description | Size | UM |
|--------------------|----------------|-----------|
| 4 X 8 | 1/4" Thru 3/4" | PC |

Section: CYPRESS & SPRUCE

Category: Cypress 1X #2 S4S Tongue & Groove VIS

| Description | Length | UM |
|--------------------|---------------|-----------|
| 1 X 6 | 8' Thru 16' | PC |

Category: Spruce 2X #2 S4S

| Description | Length | UM |
|--------------------|---------------|-----------|
| 2 X 4 | 8' Thru 16' | PC |
| 2 X 6 | 8' Thru 16' | PC |
| 2 X 8 | 16' Only | PC |

Category: Spruce 1X #2 S4S

| Description | Length | UM |
|--------------------|---------------|-----------|
| 1 X 3 | 8' Thru 16' | PC |
| 1 X 4 | 8' Thru 16' | PC |
| 1 X 6 | 8' Thru 16' | PC |
| 1 X 8 | 8' Thru 16' | PC |
| 1 X 10 | 8' Thru 16' | PC |
| 1 X 12 | 8' Thru 16' | PC |

Section: STANDARD DECKING & PREMIUM DECKING

Category: 5/4X & 2X #2 and D Grade SYP E4E 90-DEGREE PT

| Description | Length | UM |
|--------------------|----------------|-----------|
| 5/4 X 6 (Standard) | 12' & 16' | PC |
| 5/4 X 6 (Premium) | 10', 12' & 16' | PC |
| 2 X 6 (Premium) | 10' Thru 16' | PC |

| |
|--|
| Section: CEDAR SHINGLES, SHAKES & SHIMS |
|--|

Category: Western Red Cedar Shingles Treated and Non Treated

| Description | Length | UM |
|--------------------------|---------------|-----------|
| #1 Perfections | 18" | Bndl |
| #2 Perfections | 18" | Bndl |
| #1 Perfections (Treated) | 18" | Bndl |

| Description | Length | UM |
|--------------------------|---------------|-----------|
| #1 Hip & Ridge | 5/8" X 24" | Bndl |
| #1 Hip & Ridge (Treated) | 5/8" X 24" | Bndl |

| Description | Length | UM |
|---------------------|---------------|-----------|
| Medium Cedar Shakes | 1/2" X 24" | Bndl |

Category: Cedar Shims and Cedar Breather

| Description | Length | UM |
|-------------------------------------|---------------|-----------|
| 10/10 Cedar Shims | 16" | Bndl |
| Cedar Breather (Obdyke Brand) 200sf | | RL |

METAL FRAMING

METAL LATH

Section: LT GAUGE METAL STUD, TRACK & ACCESSORIES

Category: Ultra Steel & Pro Stud 25gauge Metal Stud & *Track

| Description | Length | UM |
|-------------|-------------|----|
| 1-5/8" | 8' Thru 16' | PC |
| 2-1/2" | 8' Thru 12' | PC |
| 3-5/8" | 8' Thru 16' | PC |
| 6" | 8' Thru 19' | PC |

Track in stock for all above stud in 1-1/4" high leg 10' lengths

Category: 25gauge Steel Framing Accessories

| Description | Length | UM |
|---------------------------|--------------|----|
| 1-1/4" Single Leg Channel | 12' | PC |
| 1-1/2" 90-Degree Angle | 10' | PC |
| 1-1/2" 135-Degree Angle | 10' | PC |
| 2" 90-Degree Angle | 10' | PC |
| 7/8" Hi Hat | 8' Thru 16' | PC |
| 1-1/2" Hi Hat | 10' Thru 12' | PC |
| 1-1/2" "Z" Furring | 10' | PC |

Category: Ultra Steel & Pro Stud 20gauge Metal Stud & *Track

| Description | Length | UM |
|-------------|-------------|----|
| 1-5/8" | 8' Thru 16' | PC |
| 2-1/2" | 8' Thru 12' | PC |
| 3-5/8" | 8' Thru 24' | PC |
| 6" | 8' Thru 24' | PC |

Track in stock for all above stud in 1-1/4" high leg 10' lengths

Category: 20gauge Steel Framing Accessories

| Description | Length | UM |
|-----------------------------|--------------|----|
| 1-1/2" 90-Degree Angle | 10' | PC |
| 1-1/2" 135-Degree Angle | 10' | PC |
| 2" 90-Degree Angle | 10' | PC |
| 7/8" Hi Hat | 12' Thru 16' | PC |
| 1-1/2" Hi Hat | 10' Thru 12' | PC |
| 1" Z Furring | 10' | PC |
| 1-1/2" Z Furring | 10' | PC |
| 4" & 6" Flat Metal Backing | 10' | PC |
| 2-1/2" Thru 6" Flex C Track | 10' | PC |

Section: LT GAUGE SHAFTWALL & CSJ

Category: 25 & 20gauge Shaftwall Metal Stud & Track

| Description | Length | UM |
|-------------------------|--------------|----|
| 2-1/2" CH Stud | 10' Thru 12' | PC |
| 2-1/2" J-Track (tabbed) | 10' | PC |

Category: 20gauge CSJ Stud & Track

| Description | Length | UM |
|--------------|--------|----|
| 8" CSJ Stud | 10' | PC |
| 8" CSJ Track | 10' | PC |

Section: HEAVY GAUGE CSJ STUD, TRACK & ACCESSORIES

Category: 18gauge CSJ Stud & Track

| Description | Length | UM |
|-------------------|--------------|----|
| 3-5/8" Stud | 10' Thru 12' | PC |
| 6" Stud | 10' Thru 12' | PC |
| 3-5/8" & 6" Track | 10' PC | |

Category: 18gauge Steel Framing Accessories

| Description | Length | UM |
|-----------------------|--------|----|
| 2" Angle | 10' | PC |
| 3" Angle | 10' | PC |
| 6" Flat Metal Backing | 10' | PC |

Category: 16gauge CSJ Stud and Track

| Description | Length | UM |
|--------------|--------------|----|
| 3-5/8" Stud | 10' Thru 12' | PC |
| 6" Stud | 10' Thru 12' | PC |
| 3-5/8" Track | 10' | PC |
| 6" Track | 10' | PC |

Category: 16gauge Steel Framing Accessories

| Description | Length | UM |
|-----------------------|--------|----|
| 3" Angle | 10' | PC |
| 6" Flat Metal Backing | 10' | PC |
| 1-1/2" channel | 16' | PC |

Section: METAL LATH & ACCESSORIES

Category: Diamond, Tilath & HI-RIB

| Description | Length | UM |
|-------------------------------|----------|----|
| 2.5 Diamond Flat | 27" X 8' | PC |
| 3.4 Diamond Flat | 27" X 8' | PC |
| 2.5 Diamond V-Groove | 27" X 8' | PC |
| 3.4 Diamond V-Groove | 27" X 8' | PC |
| 2.5 Tilath Paperback V-Groove | 27" X 8' | PC |
| 3.4 Tilath Paperback V-Groove | 27" X 8' | PC |
| 3.4 3/8 HI-RIB | 27" X 8' | PC |

Category: Metal Lath Accessories

| Description | Length | UM |
|----------------------|-------------|----|
| Expanded Corner Bead | 8' Thru 10' | PC |
| 1/2" Expansion Joint | 10' | PC |
| 3/4" Expansion Joint | 10' | PC |
| 1/2" Casing Bead | 10' | PC |
| 5/8" Casing Bead | 10' | PC |
| 3/4" Casing Bead | 10' | PC |
| 2" x 2" Corner Lath | 8' | PC |
| 3" x 3" Corner Lath | 8' | PC |
| 4" Strip Lath | 8' | PC |
| 6" Strip Lath | 8' | PC |

Section: FLEX TRACK AND ANGLES

Category: Drywall Flexible Tracks & Angles

| Description | Size | UM |
|----------------------------|-----------------|----|
| Flexible Track 20gauge 10' | 2-1/2" Thru 6" | PC |
| Flexible Angle 20gauge 10' | 2-1/2" X 2-1/2" | PC |

Note: Other framing steel, lengths, widths & gauges available upon request.

**REBAR
REBAR ACCESSORIES
VISQUEEN
ROAD MESH**

***** Our rebar forming facility offers a comprehensive line of rebar products. We provide experienced detailing services, standard & custom bends and forming accessories*****

Section: REBAR & ACCESSORIES

Category: Grade 60 Raw & Epoxy Coated

| Description | Length | UM |
|-------------|--------|----|
| #3 (3/8") | 20' | PC |
| #4 (1/2") | 20' | PC |
| #5 (5/8") | 20' | PC |
| #6 (3/4") | 20' | PC |

#3 rebar weight is .376 lb/lf 20'= 7.52 lbs
 #4 rebar weight is .668 lb/lf 20'= 13.36 lbs
 #5 rebar weight is 1.043 lb/lf 20'= 20.86 lbs
 #6 rebar weight is 1.502 lb/lf 20'= 30.04 lbs

Category: Corner & Column Hoops #3 Rebar

| Description | Length | UM |
|------------------------------|--------------|----|
| 4X8 Corner Hoops (150/box) | 4" X 8" | BX |
| 5X9 Corner Hoops (150/box) | 5" X 9" | BX |
| 4X12 Corner Hoops (100/box) | 4" X 12" | BX |
| 4X4 Corner Hoops (250/box) | 4" X 4" | BX |
| 5X9X9 Column Hoops (100/box) | 5" X 5" X 9" | BX |
| 4X8X8 Column Hoops (100/box) | 4" X 4" X 8" | BX |

Category: Black Annealed Bar Ties

| Description | Length | UM |
|------------------------------------|----------|----|
| Bar Ties (4M per/bag) | 5.5" | BG |
| Bar Ties (4M per/bag) | 7.5" | BG |
| Bar Ties (4M per/bag) | 9" | BG |
| 16Gauge Tie Wire (20rolls per/box) | 3-1/2lbs | BX |

Category: Slab Bolsters, Continues and Upper Hi Chairs, Metal and Plastic IHC

| Description | Size | UM |
|-----------------------------------|--------------------|----|
| Slab Bolsters | 3/4" Thru 2" | EA |
| Continues Hi-Chairs (PDT) | 2-1/2" Thru 6-1/2" | EA |
| Upper Continues Hi-Chairs (PDT) | 3/4" Thru 6-1/2" | EA |
| GTI Individual Plastic Chairs | 3/4" Thru 6-1/2" | EA |
| IHC Individual Metal Chairs (PDT) | 1-1/2" Thru 12" | EA |
| Footing Chairs | 16" And 20" | EA |

(PDT) Plastic Dipped Tips

Section: REBAR & ACCESSORIES Cont.

Category: Drill Ties and Snap Ties

| Description | Size | UM |
|---------------------------------------|-----------------|-----------|
| 2-1/8" Drill Ties (50 per/bndl) | 7-5/8" Thru 24" | Bndl |
| 2-1/4" Drill Ties (50 per/bndl) | 7-5/8" Thru 24" | Bndl |
| 2-3/4" Snap Ties w/cone (100 per/box) | 7-5/8" | BX |
| 4-3/4" Snap Ties w/cone (100 per/box) | 7-5/8" Thru 24" | BX |
| 8-1/4" Snap Ties w/cone (100 per/box) | 8-1/4" Thru 24" | BX |

Note: Drill Tie Bits, Drill Ties Shoes and Omni Wedges in stock for above

Category: Cavity Caps , Expansion Joint , Stakes and Banding

| Description | Size | UM |
|--------------------------------|--------------|-----------|
| CMU Cavity Caps (200 per/box) | 8" | BX |
| 1/2" X 4" Expansion Joint | 10' | PC |
| 1/2" X 6" Expansion Joint | 10' | PC |
| 1/2" X 3' Expansion Joint | 10' | PC |
| Round Stakes W/Holes | 18" Thru 48" | EA |
| 3/4" X .020 Perforated Banding | 100lb | RL |

Section: VISQUEEN

Category: Clear Poly

| Description | WIDTH | UM |
|--------------------|--------------|-----------|
| 1.5MIL X 200' | 12' | RL |
| 4MIL X 100' | 10' Thru 20' | RL |
| 6MIL X 100' | 10' And 20' | RL |
| 8MIL X 100' | 20' | RL |
| 10MIL X 100' | 20' | RL |
| 15MIL X 100' | 20' | RL |

| |
|------------------------|
| Section: MESH & LADDER |
|------------------------|

Category: Road Mesh

| Description | Length | UM |
|-----------------------|---------------|-----------|
| 6X6 10/10 6' | 150' | RL |
| 6X6 10/10 5' | 200' | RL |
| 6X6 6/6 8' Wire Mat | 20' | SHT |
| 6X6 10/10 8' Wire Mat | 20' | SHT |

Category: Durowall

| Description | Length | UM |
|-------------------------------|---------------|-----------|
| 8" Ladur-type (47pcs per/bnl) | 500' | BL |
| 6" Ladur-type (47pcs per/bnl) | 500' | BL |

**DRYWALL
EXTERIOR SHEATHING
JOINT COMPOUND
&
SETTING COMPOUND**

| |
|--|
| Section: DRYWALL/ BACKER BOARD/ EXT SHEATHING |
|--|

Category: 1/4" Drywall/ Backer board / Exterior sheathing

| Description | Length | UM |
|-------------------------------|---------------|-----------|
| 1/4" X 4' Regular | 8' | PC |
| 1/4" X 4' Flex board | 8' | PC |
| 1/4" X 4' Dens Shield | 4' | PC |
| 1/4" X 4' Dens Deck "PRIMED " | 8' | PC |

Category: 1/2" Drywall / Backer board / Exterior sheathing

| Description | Length | UM |
|------------------------------|---------------|-----------|
| 1/2" X 4' Regular | 8' Thru 12' | PC |
| 1/2" X 4' Fire-Rated | 12' | PC |
| 1/2" X 4' Moisture Resistant | 8' And 12' | PC |
| 1/2" X 4' Kalkore | 8' | PC |
| 1/2" X 4' Aqua Tough | 8' | PC |
| 1/2" X 4' Dens Armor Plus | 8' | PC |
| 1/2" X 4' Dens Shield | 5' And 8' | PC |
| 1/2" X 4' Dens Glass | 8' | PC |

Category: 5/8" Drywall Type X (FIRE-CODE)

| Description | Length | UM |
|------------------------------|---------------|-----------|
| 5/8" X 4' | 8' Thru 12' | PC |
| 5/8" X 4' Moisture Resistant | 8' Thru 12' | PC |
| 5/8" X 4' Kalkore | 8' And 12' | PC |
| 5/8" X 4' Hi-Abuse Kalkore | 8' | PC |
| 5/8" X 4' Aqua Tough | 8' | PC |
| 5/8" X 4' Extend Exposure | 8' | PC |
| 5/8" X 4' Hi-Impact XP | 10' And 12' | PC |
| 5/8" X 4' Dens Armor Plus | 8' And 12' | PC |
| 5/8" X 4' Dens Shield | 8' | PC |
| 5/8" X 4' Dens Glass | 8' | PC |

Category: 1"UltraShaft & XP Coreboard

| Description | Length | UM |
|--------------------|---------------|-----------|
| 1" X 2' | 8' Thru 12' | PC |

Note: Other gypsum-related products, lengths & widths available upon request.

Section: QUIETROCK

Category: 1/2" and 5/8" Quietrock wall board

| Description | Length | UM |
|-------------------------|--------|----|
| 1/2" X 4' "Basic" | 8' | PC |
| 5/8" X 4' "Relief" | 8' | PC |
| 5/8" X 4' "Ultra-Steel" | 8' | PC |
| 5/8" X 4' "Serenity" | 8' | PC |
| 5/8" X 4' "Solitude" | 8' | PC |

Section: CEMENT BOARD

Category: 1/2" and 5/8" Perma-base, Durock & Hardi-backer

| Description | Length | UM |
|---------------------------------|--------|----|
| 1/4" X 4' Perma-Base | 4' | PC |
| 1/2" X 4' Perma-Base and Durock | 8' | PC |
| 1/2" X 3' Perma-Base and Durock | 5' | PC |
| 1/2" X 4' Flex Board | 8' | PC |
| 1/2" X 4' Hardi-Backer | 8' | PC |
| 5/8" X 4' Perma-Base and Durock | 8' | PC |
| 5/8" X 3' Perma-Base and Durock | 5' | PC |

Section: JOINT COMPOUNDS / SETTING COMPOUNDS

Category: Joint compounds

| Description | Lid Color | UM |
|--|-----------|----|
| 58lb Easy Finish (National Brand) | Purple | CN |
| 12lb Proform (National Brand) | Black | CN |
| 5-Gallon Proform (National Brand) | Black | CN |
| 70lb Proform Export (National Brand) | Blue | CN |
| 61.7 Proform (National Brand) | Blue | CN |
| 4.5-Gallon Proform "Lite" (National Brand) | Blue | CN |
| 4.5-Gallon Plus 3 "Lite" (USG Brand) | Blue | CN |
| 5-Gallon Sheetrock (USG Brand) | Green | CN |

| |
|---|
| Section: JOINT COMPOUNDS / SETTING COMPOUNDS CONT |
|---|

Category: Setting compounds

| Description | Size | UM |
|--|-------------|-----------|
| 5-Minute Stay Smooth (National Brand) | 18lb | BG |
| 20-Minute Stay Smooth (National Brand) | 18lb | BG |
| 45-Minute Stay Smooth (National Brand) | 18lb | BG |
| 90-Minute Stay Smooth (National Brand) | 18lb | BG |
| 5-Minute Easy Sand (USG Brand) | 18lb | BG |
| 20-Minute Easy Sand (USG Brand) | 18lb | BG |
| 45-Minute Easy Sand (USG Brand) | 18lb | BG |
| 90-Minute Easy Sand (USG Brand) | 18lb | BG |

Category: Fire Rated Compound

| Description | Size | UM |
|---------------------------|-------------|-----------|
| Fire Compound (USG Brand) | 15lb | BG |

Category: Primer / Surfacer

| Description | Size | UM |
|-----------------------|-------------|-----------|
| Tuff-Hide (USG Brand) | 5-Gallon | CN |

**METAL BEADS
VINYL BEADS
TRIMS
&
TAPES**

| |
|------------------------------|
| Section: METAL BEADS & TRIMS |
|------------------------------|

Category: Metal Corner Beads, J-Beads, L-Beads and Casing Beads

| Description | Length | UM |
|---------------------------------------|---------------|-----------|
| 1-1/4" Corner Bead | 7' Thru 12' | PC |
| 1-1/4" 135-Degree Corner Bead | 10' | PC |
| 1-1/4" Veneer Corner Bead | 10' | PC |
| 3" Flange Expanded Corner Bead | 8' And 10' | PC |
| 3" Flange Expanded Corner Bead (zinc) | 10' | PC |
| 90-Degree Bull-nose Corner Bead | 10' | PC |
| 135-Degree Bull-nose Corner Bead | 8' Thru 10' | PC |
| 1/2" Casing Bead | 10' | PC |
| 5/8" Casing Bead | 10' | PC |
| 3/4" Casing Bead | 10' | PC |
| 1" Casing Bead | 10' | PC |
| 1-1/4" Casing Bead | 10' | PC |

***All above casing beads also stocked in zinc**

| | | |
|-------------|-----|----|
| 1/2" J-Bead | 10' | PC |
| 5/8" J-Bead | 10' | PC |
| 1/2" L-Bead | 10' | PC |
| 5/8" L-Bead | 10' | PC |

Category: Trims

| Description | Length | UM |
|--|---------------|-----------|
| 90-Degree Smart Series | 10' | PC |
| 90-Degree Smart Series Arch Bead | 10' | PC |
| 3/4" Radius Smart Series Bull-nose | 10' | PC |
| 3.25" Ultra Lite (No-Coat Brand) | 100' | RL |
| 4" Ultra Flex (No-Coat Brand) | 100' | RL |
| 2" Flex Bead "Sure Corner" | 100' | RL |
| 90-Degree I/S Corner Bead (USG Brand) | 10' | PC |
| 135-Degree O/S Corner Bead (USG Brand) | 10' | PC |
| 90-Degree S-Wide O/S CBead (USG Brand) | 10' | PC |

Section: DRYWALL & PLASTER VINYL TRIMS

Category: Drywall & Plaster Vinyl Trims

| Description | Length | UM |
|--|------------|----|
| 1-1/4" Corner Bead | 8' And 10' | PC |
| 1-1/4" Arch Bead | 10' | PC |
| 1-1/4" 120-Degree Arch Bead | 10' | PC |
| 1/2" J-Bead | 10' | PC |
| 5/8" J-Bead | 10' | PC |
| 1/2" L-Bead | 10' | PC |
| 5/8" L-Bead | 10' | PC |
| 1/2" Ceiling Trim | 10' | PC |
| 5/8" Ceiling Trim | 10' | PC |
| 3/4" Radius Bull-nose Corner Bead | 10' | PC |
| 3/4" Radius 120-Degree Bull-nose C-Bead | 10' | PC |
| 3/4" Radius Bull-nose Arch Bead | 10' | PC |
| 3/4" Radius I/S Corner Cap 2-w Bull-nose | 10' | PC |
| 3/4" Radius O/S Corner Cap 2-w Bull-nose | 10' | PC |
| 3/4" Bull-nose Transition Cap | | |
| 1/16" Control Joint | 10' | PC |
| 2-1/2" X 2-1/2" #1 Stucco Bead | 8' And 10' | PC |
| 2-1/2" X 2-1/2" #1 Arch Bead | 10' | PC |
| 4-1/2" X 4-1/2" #40 C-Bead | 10' | PC |
| 1/2" X 1-3/4" Casing Bead | 10' | PC |
| 5/8" X 1-3/4" Casing Bead | 10' | PC |
| 3/4" X 1-3/4" Casing Bead | 10' | PC |
| 1" X 1-3/4" Casing Bead | 10' | PC |
| 1-1/4" X 1-3/4" Casing Bead | 10' | PC |
| 1-1/2" X 1-1/2" Casing Bead | 10' | PC |
| 1/2" X 4" Control Joint | 10' | PC |
| 5/8" X 4" Control Joint | 10' | PC |
| 3/4" X 4" Control Joint | 10' | PC |
| 3/8 X 3" Soffit Vent | 10' | PC |
| 3/8 X 4" Soffit Vent | 10' | PC |

| |
|----------------|
| Section: TAPES |
|----------------|

Category: Drywall, Masking, Fiberglass, Foil, Window and Duct Tape

| Description | Length | UM |
|--|---------------|-----------|
| 2" USG Durock Tape | 250' | RL |
| 2" Fiberglass Mesh Tape | 300' | RL |
| 2" Fiberglass Mesh Tape (National Brand) | 300' | RL |
| 2" Drywall Tape (20-Rolls per/box) | 250' | RL |
| 2" Drywall Tape (10-Rolls per/box) | 500' | RL |
| 2" Aluminum Foil Tape | 150' | RL |
| 3" Aluminum Foil Tape | 150' | RL |
| 3" FSK Tape | 150' | RL |
| 1/2" Masking Tape | 180' | RL |
| 1" Masking Tape | 180' | RL |
| 1-1/2" Masking Tape | 180' | RL |
| 2" Masking Tape | 180' | RL |
| 2" Window Tape (Green or Blue) | 180' | RL |
| 2" Stucco Tape (Red or Yellow) | 180' | RL |
| 2" Duct Tape | 180' | RL |
| 8" Electrical Outlet Repair (10-per/pk) | 8" | PK |
| 4" Straight Flex "Huge" | 100' | RL |
| 2-1/2" Straight Flex | 100' | RL |
| 2" Mudless Drywall Fire | 250' | RL |

**CEMENT
FINISH LIME
WALL & CEILING
STUCCO
THORO PRODUCTS
BONDING AGENTS
&
THINSETS**

Section: CONVENTIONAL PLASTER PRODUCTS

Category: Portland, Masonry, Blended and Stucco

| Description | Size | UM |
|-------------------------------------|---------|----|
| Portland Cement Type 1 (Grey) | 94.6 lb | BG |
| Portland Cement Type 1 (White) | 94.6 lb | BG |
| Sand Mix | 80 lb | BG |
| Concrete Mix Pre-Blended | 80 lb | BG |
| Structolite (USG Brand) | 50 lb | BG |
| 2-Way Hard Wall (National Brand) | 100 lb | BG |
| Gypsolite (National Brand) | 80 lb | BG |
| Mortar Mix Type M (Grey) | 80 lb | BG |
| Mortar Mix Type M (White) | 80 lb | BG |
| Mortar Mix Hi Strength Type M or S | 80 lb | BG |
| Mortar Mix Pre-Blended Type S | 80 lb | BG |
| Stucco (Titan Brand) | 80 lb | BG |
| Stucco Pre-Blended (Amerimix Brand) | 80 lb | BG |
| Stucco (Marblecrete Brand) | 80 lb | BG |

***Marblecrete colors in stock:**

Polar White, Linen, Harvest, Sandy Beige, Shadow White, Jute, Hilltop, Conch, Pink Coral, Mushroom, Beach and Sea-foam Green

Section: INDUSTRIAL PLASTER / WALL & CEILING

Category: Industrial Plasters

| Description | Size | UM |
|------------------------------------|-------|----|
| #1 Molding Plaster (USG Brand) | 100lb | BG |
| #1 Molding Plaster (USG Brand) | 50lb | BG |
| Hydrocal Plaster White (USG Brand) | 100lb | BG |
| FGR95 Hydrocal Plaster(USG Brand) | 100lb | BG |

Category: Base Coat and Veneer Plasters

| Description | Size | UM |
|-------------------------|------|----|
| Uni-kal Plaster | 50lb | BG |
| Woncote Smooth | 50lb | BG |
| Woncote Sanded | 50lb | BG |
| Diamond Interior Finish | 50lb | BG |

Section: LIME & FIBERS

Category: Finish lime, Limoid and Microfibers

| Description | Size | UM |
|-----------------------|-------------|-----------|
| Finish Lime Snowdrift | 50 lb | BG |
| Finish Lime Western | 50 lb | BG |
| Type "S" Super Limoid | 50 lb | BG |
| Microfibers 3/4" | 1 lb | BG |
| Microfibers 1" | 1 lb | BG |

Section: THORO PRODUCTS / BONDING AGENTS

Category: Thoroseal, Thorobond, Water Plug, Acryl 60 and Bonding Agents

| Description | Size | UM |
|-----------------------|-------------|-----------|
| Thoroseal (Grey) | 5-Gallon | CN |
| Thoroseal (White) | 5-Gallon | CN |
| Thoroseal (Grey) | 1-Gallon | CN |
| Water Plug | 5-Gallon | CN |
| Water Plug | 1-Gallon | CN |
| Acryl 60 | 5-Gallon | CN |
| Acryl 60 | 1-Gallon | CN |
| Acryl 60 | 1-Quart | CN |
| Thorobond | 5-Gallon | CN |
| Thorobond | 1-Gallon | CN |
| Bonding Agent (White) | 5-Gallon | CN |
| Bonding Agent (Blue) | 5-Gallon | CN |
| Bonding Agent (White) | 1-Gallon | CN |
| Bonding Agent (Blue) | 1-Gallon | CN |

Section: THINSET / CLAY

Category: Sanded Thinset and Clay

| Description | Size | UM |
|----------------------|-------------|-----------|
| Grey Sanded Thinset | 50 lb | BG |
| White Sanded Thinset | 50 lb | BG |
| Carotex Clay | 50 lb | BG |

**BATT INSULATION
SAFB & SAFING
THERMAX
TUFF R
FOAMULARS
&
HOUSE WRAP**

Section: BATT INSULATION & FOIL BACKER

Category: R8 TO R30 Faced and Un-faced

| Description | Size | UM |
|------------------------|-----------------------------|----|
| R8 2-1/2" Un-faced | 16" X 96" (213.33 SF/BN DL) | BG |
| R8 2-1/2" Un-faced | 24" X 96" (320 SF/BDL) | BG |
| R11 3-1/2" Un-faced | 16" X 96" (170.67 SF/BDL) | BG |
| R11 3-1/2" Un-Faced | 24" X 96" (256 SF/BDL) | BG |
| R11 3-1/2" Un-faced | 24" X 48" (256 SF/BDL) | BG |
| R11 3-1/2" Kraft Faced | 16" X 96" (170.67 SF/BDL) | BG |
| R11 3-1/2" Kraft Faced | 24" X 96" (256 SF/BDL) | BG |
| R11 3-1/2" Foil Faced | 16" X 96" (170.67 SF/BDL) | BG |
| R19 6-1/4" Un-faced | 16" X 96" (85.33 SF/BDL) | BG |
| R19 6-1/4" Un-faced | 24" X 48" (128 SF/BDL) | BG |
| R19 6-1/4" Kraft Faced | 16" X 96" (85.33 SF/BDL) | BG |
| R19 6-1/4" Kraft Faced | 24" X 96" (128 SF/BDL) | BG |
| R19 6-1/4" Kraft Faced | 24" X 48" (128 SF/BDL) | BG |
| R30 9-1/2" Kraft Faced | 24" X 48" (88 SF/BDL) | BG |
| R30 9-1/2" Kraft Faced | 16" X 48" (58.67 SF/BDL) | BG |

Category: HiPerm Fi-Foil 16" and 24"

| Description | Size | UM |
|---------------|---------------|----|
| AA-2 R4.1 16" | (500 SF/ROLL) | BG |
| AA-2 R4.1 24" | (500 SF/ROLL) | BG |

Section: SOUND ATTENUATION FIRE BLANKET & SAFING

Category: Sound Attenuation Fire Blanket

| Description | Size | UM |
|------------------------|--------------------------|----|
| 2" R7.6 2.5lb-Density | 16" X 48" (53.33 SF/BAG) | BG |
| 2" R7.6 2.5lb-Density | 24" X 48" (80 SF/BAG) | BG |
| 3" R11.4 2.5lb-Density | 16" X 48" (32 SF/BAG) | BG |
| 3" R11.4 2.5lb-Density | 24" X 48" (48 SF/BAG) | BG |

Category: Safing

| Description | Size | UM |
|--------------------|-----------------------|----|
| 4" R16 4lb-Density | 24" X 48" (32 SF/BAG) | BG |

| |
|--|
| Section: THERMAX , TUFF-R , FOAMULARS & HOUSE WRAP |
|--|

Category: Thermax and Tuff -R

| Description | Size | UM |
|---------------------|-------------|-----------|
| 3/4" Thermax R5.0 | 4' X 8' | PC |
| 1" Thermax R6.5 | 4' X 8' | PC |
| 1-1/2" Thermax R9.8 | 4' X 8' | PC |
| 2" Thermax R13.0 | 4' X 8' | PC |
| 3/4" Tuff-R R5.0 | 4' X 8' | PC |
| 1" Tuff-R R6.5 | 4' X 8' | PC |
| 1-1/2" Tuff-R R9.8 | 4' X 8' | PC |

Category: Foamular and Dow Blue board

| Description | Size | UM |
|----------------------------|-------------|-----------|
| 3/4" Foamular R3.8 | 4' X 8' | PC |
| 1" Foamular R5.0 | 4' X 8' | PC |
| 1-1/2" Foamular R7.5 | 4' X 8' | PC |
| 2" Foamular R10.0 | 4' X 8' | PC |
| 3/4" Dow Blue Board R3.8 | 4' X 8' | PC |
| 1" Dow Blue Board R5.0 | 4' X 8' | PC |
| 1-1/2" Dow Blue Board R7.5 | 4' X 8' | PC |
| 2" Dow Blue Board R10.0 | 4' X 8' | PC |

Category: House Wrap

| Description | Size | UM |
|------------------------------|-------------|-----------|
| Dow Weathermate Wrap (White) | 9' X 150' | RL |

FASTENERS & CAULKING

| |
|--|
| Section: DRYWALL/FRAMING/DUROCK SCREWS |
|--|

Category: Fine & Coarse Drywall Screws

| Description | Size | UM |
|------------------------------------|-------------------|-----------|
| Fine Sharp Point (Bugle Head) | 1" Thru 3" | BX |
| Coarse Sharp Point (Bugle Head) | 1" Thru 3" | BX |
| Fine Sharp Point Zinc (Bugle Head) | 1" Thru 3" | BX |
| Fine Self Tap Zinc (Bugle Head) | 1" Thru 3" | BX |
| Fine Sharp Point Zinc (Wafer Head) | 9/16" Thru 1-5/8" | BX |
| Fine Self Tap Zinc (Wafer Head) | 3/4" Thru 1-5/8" | BX |

Bugle Head Box Quantities: 1" = 10,000 : 1-1/8" = 10,000 : 1-1/4" = 8,000 : 1-5/8" = 5,000 : 2" = 3,500 : 2-1/2" = 2,500 : 3" = 2,000 (**All sizes also available in 5lb boxes**)

Wafer Head Box Quantities: 1/2" = 10,000 : 9/16" = 10,000 : 1" = 5,000 : 1-1/4" = 5,000 : 1-5/8" = 4,000 (**All sizes also available in 5lb boxes**)

Category: Framing Screws

| Description | Size | UM |
|------------------------|-------------|-----------|
| Pan Head Sharp Point | 7/16" | BX |
| Pan Head Self Tap Zinc | 7/16" | BX |

Box Quantities: 7/16" = 15,000

Category: Wood & Metal Durock Screws

| Description | Size | UM |
|--------------------|-------------------|-----------|
| Wood Sharp Point | 1-1/4" And 1-5/8" | BX |
| Metal Self Tap | 1-1/4" And 1-5/8" | BX |

Box Quantities: 1-1/4" = 8,000 : 1-5/8" = 5,000 (**All sizes also available in 5lb boxes**)

Section: STAINLESS AND GRABBERGARD DECK SCREWS

Category: Stainless Steel Square Dr Deck Screws

| Description | Length | UM |
|------------------------------|----------------|----|
| #6 Diameter Type 300 Series | 1-1/4" | BX |
| #8 Diameter Type 300 Series | 1-5/8" Thru 2" | BX |
| #9 Diameter Type 300 Series | 2-1/2" Thru 3" | BX |
| #10 Diameter Type 300 Series | 3-1/2" Thru 4" | BX |

Box Quantities: 1-1/4" = 5,000 : 1-5/8" = 4,000 : 2" = 3,000 : 2-1/2" = 2000 :
3" = 1,500 : 3-1/2" = 1,000 : 4" = 1,000

Category: GrabberGard Square Drive Deck Screws

| Description | Length | UM |
|------------------------|---------------|----|
| #8 Diameter Flat Head | 1-1/2" And 2" | BX |
| #9 Diameter Flat Head | 2-1/2" And 3" | BX |
| #10 Diameter Flat Head | 3-1/2" And 4" | BX |

Box Quantities: 1-1/2" = 5,000 : 2" = 3,000 : 2-1/2" = 2,500 : 3" = 2,000 :
3-1/2" = 1,000 : 4" = 1,000

Section: STAINLESS STEEL NAILS

Category: Common , Finish , Roof , Siding and Shake / Shingle

| Description | Length | UM |
|------------------------------------|----------------|----|
| Common Nails Type 300 Series | 1-1/4" Thru 6" | BX |
| Finish Nails Type 300 Series | 1-1/4" Thru 3" | BX |
| Roof Nails Type 300 Series 1" Thru | 1- 1/2" | BX |
| Siding Nails Type 300 Series | 1-1/2" And 2" | BX |
| Shake/Shingle Type 300 Series | 1-1/4" Thru 2" | BX |

Box Quantities: 25lb box

Section: HOT DIPPED GALVANIZED

Category: Hot Dip Commons, Hot Dip Deck and Hot Dip Finish

| Description | Length | UM |
|--------------------|----------------|-----------|
| Common | 1-1/4" Thru 6" | BX |
| PT Deck A/T | 2" Thru 6" | BX |
| PT Deck S/T | 2" Thru 6" | BX |
| Finish | 1" Thru 3" | BX |

Box Quantities: 50lb box

Section: DUPLEX, CUT , ROOFING AND STUB NAILS

Category: Brite Duplex Nails and Cut Nails

| Description | Size | UM |
|---------------------|----------------|-----------|
| Brite Duplex | 2" Thru 3-1/2" | BX |
| Cut Nails Domestics | 1-1/4" Thru 4" | BX |
| Cut Nails Imports | 1-1/4" Thru 4" | BX |

Box Quantities: 50lb box

Category: EG Roof Nails, Copper Roof Nails and Stub Nails

| Description | Size | UM |
|----------------------|------------------|-----------|
| EG Smooth Shank Roof | 3/4" Thru 1-1/2" | BX |
| Copper Roof | 3/4" Thru 1-1/4" | BX |
| Stub | 3/8" Thru 1-1/2" | BX |

Box Quantities: Stub & EG 50lb box : Copper 25lb box

Section: PNEUMATIC NAILS

Category: Coil Nails

| Description | Length | UM |
|--------------------------------------|--------------------|----|
| EG Smooth 15-Deg .131 Shank | 2-1/2" Thru 3-1/4" | BX |
| EG Ring 15-Deg .131 Shank | 2-1/2" | BX |
| Brite Smooth 15-Deg .131 Shank | 2-1/2" | BX |
| Ring Shank .120 Dade Approved | 1-1/4" | BX |
| Smooth Shank .120 | 1-1/4" And 1-1/2" | BX |
| Hard Case 15-Deg .099 Shank | 1-1/4" | BX |
| Screw Shank Blunt Chisel .099 | 2" | BX |

Box Quantities: Hard Case 1-1/4" = 12,000 : Ring and Smooth 1-1/4" = 7,200 :
EG and Brite Smooth 2-1/2" = 4,500 : EG Ring 2-1/2" = 4,000 :

Category: T-Nails

| Description | Length | UM |
|----------------|------------------|----|
| T-Nail | 5/8" Thru 2-1/4" | BX |
| Brad T-Nail | 5/8" And 1-1/4" | BX |
| Finish T-Nails | 1-1/4" And 2" | BX |

Box Quantities: T-Nail 5/8", 1-3/8" & 2-1/4" = 2,500 : Brad 5/8" = 3,5000 :
Brad 1-1/4" = 3,000 : Finish 1-1/4" & 2" = 3,500

Section: SHOTS & PINS, TAPCONS & ANCHOR BOLTS

Category: Shots and Pins

| Description | Caliber | UM |
|--|------------------|----|
| Brown Shots (100 per/box) | 22 Thru 27 | BX |
| Green Shots (100 per/box) | 22 Thru 27 | BX |
| Yellow Shots (100 per/box) | 22 Thru 27 | BX |
| Red Shots (100 per/box) | 25 And 27 | BX |
| Drive Pins Steel (100 per/box) | 1/2" Thru 1-1/8" | BX |
| Drive Pins Concrete (100 per/box) | 3/4" Thru 3" | BX |
| Drive Pins Concrete w/washer (100 per/box) | 1" Thru 3" | BX |

Category: Hot Dipped Galvanized Anchor Bolts w/Nuts & Washers

| Description | Length | UM |
|------------------------------------|---------------|-----------|
| 1/2" HDG Anchor Bolts (50 per/box) | 6" Thru 12" | BX |
| 5/8" HDG Anchor Bolts (25 per/box) | 6" Thru 18" | BX |
| 3/4" HDG Anchor Bolts (25 per/box) | 16" Thru 24" | BX |

Category: 3/16" & 1/4" Flat Head Tapcons

| Description | Length | UM |
|--|--------------------|-----------|
| 3/16" Phillips Flat Head Blue (100 per/box) | 1-1/4" Thru 4" | BX |
| 1/4" Phillips Flat Head Blue (100 per/box) | 1-1/4" Thru 5" | BX |
| 3/16" Phillips Flat Head White (100 per/box) | 1-3/4" Thru 3-1/4" | BX |
| 1/4" Phillips Flat Head White (100 per/box) | 1-3/4" Thru 4" | BX |

Category: 3/16" & 1/4" Hex Head Tapcons

| Description | Length | UM |
|------------------------------------|----------------|-----------|
| 3/16" Hex Head White (100 per/box) | 1-1/4" Thru 4" | BX |
| 1/4" Hex Head White (100 per/box) | 1-3/4" Thru 6" | BX |

Section: CAULKING

Category: Silicone, Polyseam, Acrylics and Latex

| Description | Size | UM |
|--------------------------------------|-------------|-----------|
| Construction Adhesive | 10.5 oz | EA |
| Construction Adhesive | 29 oz | EA |
| Builders Choice Latex | 10.5 oz | EA |
| OSI HM270 Clear Silicone | 10.5 oz | EA |
| OSI HM27 White Silicone | 10 oz | EA |
| Vulkem 921 Polyurethane Smooth White | 10 oz | EA |
| Polyseamseal 40year White | 10.3 oz | EA |
| Polyseamseal Lifetime White | 10.3 oz | EA |
| Tremstop Acrylic Firecaulk-Red | 10.3 oz | EA |
| Tremstop Acrylic Firecaulk-Red | 28.7 oz | EA |
| Tremstop Acrylic Firecaulk-Red | 5-Gallon | CN |
| Tremstop Acrylic Firecaulk-Red Spray | 5-Gallon | CN |
| Tremstop Intumescent Fry-Caulk | 10.1 oz | EA |
| Tremstop Intumescent Fry-Caulk | 28.7 oz | EA |

ROOFING PRODUCTS

| |
|--|
| Section: SHINGLES, FELTS AND MEMBRANES |
|--|

Category: 20year 30year and Lifetime Owen Corning Shingles

| Description | Size | UM |
|----------------------|-------------------|------|
| 20Year 3-Tab Classic | 3-Bundles = 100sf | Bndl |

Colors: Shasta White, Autumn Brown, Desert Tan, Driftwood, Onyx Black, Spanish Red and Beech-wood Sand

| | | |
|---------------------------|-------------------|------|
| 30Year Duration | 3-Bundles = 100sf | Bndl |
| Lifetime Duration Premium | 4-Bundles = 100sf | Bndl |

Colors: Antique Silver, Brownwood, Desert Tan, Harbor Blue, Onyx Black, Chateau Green, Driftwood and Estate Grey

****Hip and Ridge for 40year in stock****

Category: Felt Paper

| Description | Size | UM |
|------------------------------|------------|----|
| 15# Felt Paper | 3' X 144' | RL |
| 30# Felt Paper (NON-DADE) | 3' X 72' | RL |
| 30# Felt Paper (DADE) | 3' X 72' | RL |
| 15lb Cut Felt | 2" X 144' | RL |
| 90# Atlas MSR Asphalt (DADE) | 3' X 36' | RL |
| 90# Owens Corning Asphalt | 3' X 33.3' | RL |

Colors: Atlas: White Only

Owens: Forest Green, Spanish Red, Desert Tan and Shasta White

Category: Membranes

| Description | Size | UM |
|-----------------------------------|-------------------|----|
| Grace Ice & Water Shield | 3' X 75' | RL |
| MFM Wind & Water Shield | 3' X 66.6' | RL |
| MFM Peel & Seal .45Mil | 33.5' 4" Thru 36" | RL |
| Colors: White and Aluminum | | |
| Polybond Torch-down White | 3' X 33.3' | RL |
| Polystick TU Plus | 3' X 66.6' | RL |

Section: ASPHALT PRODUCTS

Category: Roof Cement, Foundation Coatings, Lap Cement, Roof Coatings and Steep

| Description | Size | UM |
|-----------------------------|-----------------------|----|
| Plastic Roof Cement | 1-Quart Thru 5-Gallon | CN |
| Plastic Roof Cement (DCA) | 1-Gallon And 5-Gallon | CN |
| Wet & Dry Roof Cement (DCA) | 5-Gallon | CN |
| Fiber Roof Coating (DCA) | 5-Gallon | CN |
| Foundation Coating | 5-Gallon | CN |
| Fiber Aluminum Coating | 5-Gallon | CN |
| Non Fiber Aluminum Coating | 5-Gallon | CN |
| Cold Process & Lap Cement | 5-Gallon | CN |
| Elastomeric Roof Coating | 5-Gallon | CN |
| Driveway Sealer | 5-Gallon | CN |
| Steep Type-4 | 100lb | EA |

Category: Fabric

| Description | Length | UM |
|-------------------|--------|----|
| 4" Asphalt Fabric | 150' | RL |
| 6" Asphalt Fabric | 150' | RL |

Section: ROOF METALS & ROOF ACCESORRIES

Category: Drip Edge, Flashing and Angle

| Description | Size | UM |
|------------------------------|--------------------|----|
| Galvanized Flashing 26ga 50' | 12" Thru 36" | RL |
| Copper Flashing | 12" Thru 24" | RL |
| Galvanized Drip Edge | 10' 1-1/2" Thru 3" | PC |
| White Aluminum Drip Edge | 10' 2" And 3" | PC |
| Copper Drip Edge | 10' 2" And 3" | PC |
| Vinyl Drip Edge | 10' 1-1/2" Only | PC |
| Roof Angle 26ga | 10' 4" X 5" | PC |
| Roof Angle 26ga | 10' 5" X 7" | PC |

Section: ROOF METALS & ROOF ACCESORRIES Cont.

Category: Tin Tabs, Vents and Lead Stakes

| Description | Size | UM |
|------------------------------|-------------|-----------|
| Tin Caps Non-Dade (50lb box) | 1-5/8" | BX |
| Tin Caps Dade (50lb box) | 1-5/8" | BX |
| Button Caps (2000 per/box) | 7/8" | BX |
| Aluminum Vents (24 per/box) | 4" X 16" | BX |
| Aluminum Vents (24 per/box) | 8" X 16" | BX |

Finishes: White and Mill

Hollow Metal Doors & Frames

Hollow Metal Doors
Hollow Metal Frames
Acoustical Doors
Lead Lined Doors & Frames
Bullet Resistant Doors
Louvers
Lites
Fire Labels
Fire Rated Frames & Doors

*In-House Custom Frame Manufacturing Capabilities

Specialty & Architectural Doors

Wood Doors

MDF Doors

Fiberglass Doors

STC Doors

Mineral Core

Pre-hung (*In-House)

Fire Rated

Residential & Commercial

*In-House Custom Frame & Door Modifications

Architectural Hardware

Cylindrical Locks
Mortise Locks
Closers
Exit Devices
Hinges
Push / Pull / Kick Plates
Stops
Store Front Hardware
Card Readers
Electric Locks
Access Control Devices
*Commercial & Residential

Millwork

Cove
Crown
Casing
Base
Boards
LDF
Poplar
Exotic Species
*Custom Millwork

Windows

Aluminum Windows

Wood Windows

Wood Clad – Aluminum Windows

Vinyl Windows

Store Front

PGT – Eastern – ES Windows - Peachtree – Jeld-Wen – Korus

Simonton Impressions – Thermatru - Atrium

Specialty Items

Section: GUTTER, FRP PANEL, CEILING TILES, EFIS,
WOOD CONNECTOR, ACCESS PANELS & LEAD DRYWALL
HOLLOW METAL DOORS & FRAMES

Wood Construction Connectors:

In stock: **Simpson Strong-Tie Connectors**, we stock an assortment of standard connectors from hangers and clips to straps, post bases and anchors. All standard items not available from stock have a 2 to 3 day lead time.

PVC Gutter:

In stock: **Plasmo's** 5" 1/2-Round vinyl gutter with round downspouts. All connectors for assembly in stock as well. K-Snap is available upon request.

FRP Panels:

In stock: **Panolam Industries** Class C Embossed FRP Panels, including white, gray, almond, ivory, beige and black colors. 10' matching color vinyl trims. Including dividers, end caps, outside corners and inside corners

Ceiling Tile:

In stock: **USG's** ceiling tile profiles, including Aspen, Astro, Cleanroom, Sheetrock Brand Lay-in, Eclipse, Premier Nubby, Radar, Fissured, Fresco, Frost, Glacier, Halcyon, Mars, Millennia, Olympia, Orion and Sandrift in 2X2 and 2X4 sizes. Standard 15/16 Donn Grid Systems, includes 9/16" Finline and Centricitee Grid profiles.

EIFS System:

In stock: **Senergy System's**, Starter rolls, FlexGuard meshes, Alpha Dry and Alpha premix bases, Tinted Primes, Finishes including Fine, Classic, Belgian Lace and Color Coats, Corner Grid and 1/8" Permalath. We can professionally tint all primers, finishes and color coats to your color preference.

Access Doors:

In Stock: **Williams Brothers** access doors, including general purpose, drywall, plaster, fire-rated and plastic doors in sizes from 8X8 to 36X36 dimensions

HURRICANE PROTECTION PRODUCTS

Rollup Shutters*
Accordion Shutters*
Galvanized Steel, Aluminum, and Lexan Hurricane Panels*
Bahama Shutters*
Low Profile/Decorative Bahama Shutters*
Colonial Shutters*
Hurricane Screening
Ultra Screen-X2 Plus
Aluminum & Vinyl Impact Glass Windows and Doors


***Manufactured by Alufab USA**

Aluminum Products

Railings*

Aluminum Deck Railing
Balcony Railing Systems
Fencing

Screen Enclosures*



And Custom

*Manufactured by Alufab USA

Export Services

Our Export Service warehouse location:

11801 N.W. 100 Road

Suite 1

Medley, Florida

305-467-8789

(FCL) Full Container Load Service

We offer full container load services to both our residential and commercial customers. Whether relocating or just shipping an order, we can arrange for the container to be delivered to your home or supplier's location for loading. We offer a wide range of equipment including 20ft standard, 40ft standard & High cubic, 45ft standard & High cubic and special equipment, flat racks and flat beds.

(CFCL) Consolidated Full Container Load Service

Different suppliers in different locations are not a problem. We will be happy to consolidate and load your cargo into a container at our Medley 10,000 sq ft warehouse.

(Consolidation) Consolidation Services

With our consolidation service we will follow up with your suppliers, truckers and brokers to make sure your shipment arrives to our warehouse, consolidated and shipped in a timely manner.

Ground Transportation

Alufab USA offers local, state and country wide pickup and delivery service. Trans Border Freight – Canada, US, and Mexico.

Warehousing & Storage

Alufab USA operates a fully secured 10,000 sq ft warehouse in Medley, Florida with 24-hour surveillance, fire and burglary alarm, a driver authentication system time coded security record. We are a Container Freight Station (CFS).

A detailed warehouse receipt is produced for each package received and shared electronically with our customer via our web tracking system. Individual pieces of cargo are bar coded for inventory and shipping control. Storage capacity is enhanced with clear warehouse ceilings, employee trained in hazardous material handling, and specialized equipment for fabrics, cartons, etc. we are capable of handling and storing break bulk and overweight/oversized cargo.

Freight Forwarding

Alufab USA is a licensed freight forwarder, certified to handle hazardous material. We can route your cargo via ground transportation, rail, air (domestic/international), and ocean. Our customers are kept informed at all times of any developments until cargo is delivered at the final destination.

Coming soon

Nassau, Bahamas

242-433-9202

